String wound filter cartridge

Yitong string wound filter cartridge adopts the cotton thread as the filter media. The cotton thread is winded around the PP core layer by layer, provides truely depth filtration. It has great dirty holding capacity and interception ability, which provides great sediment filtration effectiveness.

Product Description:

Yitongstring wound filter cartridgeadopts the cotton thread as the filter media. The cotton thread is winded around the PP core layer by layer, provides truely depth filtration. It has great dirty holding capacity and interception ability, which provides great sediment filtration effectiveness. It also has exceptionally high structural strength, therefore, it can withstand higher PSID and severe operating conditions.





Tel: +86 311 6668 5297 Mob: +86 180 3376 5689

Fax: +86 311 6668 5290

E-mail:manager@yitong-filter.com WhatsApp:+86 180 3376 5689 WeChat: +86 180 3376 5689





Performance Feature:

- 1 Fits all the standard housing
- 2 Low pressure drop, high dirt holding capacity and long service life
- 3 Loose outer layers and tight inner layers offers effective depth filtration

Tel: +86 311 6668 5297 Mob: +86 180 3376 5689

Fax: +86 311 6668 5290

E-mail:manager@yitong-filter.com WhatsApp:+86 180 3376 5689 WeChat: +86 180 3376 5689

Packing and shipping:





FAQ:

Q: How can we get the quotation of filter cartridges?

A: Kindly please let us know the specifications, such as the material, length, micron, adapter, apply in which industry.....

Q: What's the minimal quantity order?

A: 1 piece

Q:How longabout your delivery?

A: The order is always arranged in 10 working days as soon as receiving your payment.

Q: Is customized service available?

A: Yes, we offer customized service

Q: How about payment terms?

A: We accept L/C, T/T, Escrow, Paypal or as your requirement

Tel: +86 311 6668 5297 Mob: +86 180 3376 5689 Fax: +86 311 6668 5290

E-mail:manager@yitong-filter.com WhatsApp:+86 180 3376 5689 WeChat: +86 180 3376 5689